

Application No.: S.N. 10/082,183
Art Unit: 2879

Docket No.: 500.41280X00
Page 2

AMENDMENTS TO THE CLAIMS

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

Claims 1-4 (Canceled without prejudice or disclaimer).

5. (Currently Amended) An organic light-emitting element comprising:
an organic electroluminescent substrate having at least a first electrode, an organic layer and a second transparent electrode formed on a substrate;
a counter substrate; and
a light extraction layer and an auxiliary electrode for the second transparent electrode, both provided between the organic electroluminescent substrate and the counter substrate;

wherein a total thickness d of a layer ranging from a light-emitting area in the organic layer to the second transparent electrode satisfies an equation:

$$d < \lambda/4 \quad [(\lambda:)] \text{ ,where } \lambda \text{ is a center wavelength of emitted light } [()].$$

6. (Currently Amended) An organic light-emitting element according to ~~claim 4~~ claim 5, wherein a rib is provided between the organic electroluminescent substrate and the counter substrate to control a thickness of the light extraction layer.

Application No.: S.N. 10/082,183
Art Unit: 2879

Docket No.: 500.41280X00
Page 3

7. (Original) An organic light-emitting element according to claim 6, wherein the thickness of the light extraction layer is 50 μm or more.

8. (Original) An organic light-emitting element according to claim 6, wherein the rib is formed on the counter substrate.

9. (Original) An organic light-emitting element according to claim 8, wherein the rib is formed from glass or optically cured resin.

10. (Original) An organic light-emitting element according to claim 8, wherein the rib is formed on a sealed portion of the organic electroluminescent substrate and the counter substrate.

11. (Currently Amended) An organic light-emitting element according to ~~claim 4~~ claim 5, wherein color filters are formed between the organic electroluminescent substrate and the counter substrate.

12. (Original) An organic light-emitting element according to claim 11, wherein the color filters are formed on the counter substrate.

13. (Currently Amended) An organic light-emitting element according to ~~claim 4~~ claim 5, wherein a moisture absorbing layer is provided on the counter substrate.

Application No.: S.N. 10/082,183
Art Unit: 2879

Docket No.: 500.41280X00
Page 4

14. (Currently Amended) An organic light-emitting element according to ~~claim 4~~ claim 5, wherein a moisture absorbing layer is provided around a portion sealing the organic electroluminescent substrate and the counter substrate.

15. (Currently Amended) An organic light-emitting element according to ~~claim 4~~ claim 5, wherein the auxiliary electrode is formed between pixels.

16. (Currently Amended) An organic light-emitting element according to ~~claim 4~~ claim 5, wherein the auxiliary electrode is formed between pixels formed on the counter substrate.

17. (Currently Amended) An organic light-emitting element according to ~~claim 4~~ claim 5, wherein the auxiliary electrode is formed on the second transparent electrode.

18. (Original) An organic light-emitting element according to claim 17, wherein a bonding layer is provided to bring the second transparent electrode and the auxiliary electrode into ohmic contact with each other.

19. (Currently Amended) An organic light-emitting element according to ~~claim 4~~ claim 5, wherein the second transparent electrode is formed from a very thin metal film with a high transmissivity.

Application No.: S.N. 10/082,183
Art Unit: 2879

Docket No.: 500.41280X00
Page 5

20. (Currently Amended) An organic light-emitting display using the organic light-emitting element of ~~claim 4~~ claim 5.

21. (Previously Presented) An organic light-emitting display according to claim 20, wherein the organic light-emitting element comprises pixels of different colors.

22. (Previously Presented) An organic light-emitting display according to claim 20, wherein the second transparent electrode of the organic light-emitting element is formed from a very thin metal film with a high transmissivity.

23. (Original) A mobile phone using the organic light-emitting display of claim 20 in a display portion.

24. (Currently Amended) A organic light-emitting element according to ~~claim 4~~ claim 20, wherein said first electrode is a transparent electrode.

25. (Previously Presented) A organic light-emitting element according to claim 5, wherein said first electrode is a transparent electrode.

26. (Previously Presented) A organic light-emitting element according to claim 12, wherein said first electrode is a transparent electrode, wherein white light is emitted from said second transparent electrode into said light extraction layer, and wherein colored light is emitted from said counter substrate.

Application No.: S.N. 10/082,183
Art Unit: 2879

Docket No.: 500.41280X00
Page 6

Claims 27-57 (Canceled without prejudice or disclaimer).